

Application Serial No. 08/888,057 Attorney Docket No. 000270-012

Q2

19. (Amended) An offspring obtained according to the method of claim 2, wherein said offspring has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

93

- 21. (Amended) A transgenic fetus obtained according to the method of claim 3, wherein said transgenic fetus has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.
- 22. (Amended) A transgenic offspring obtained according to the method of claim 4, wherein said transgenic offspring has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.



- 26. (Amended) A fetus obtained according to the method of claim 24, wherein said fetus has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.
- 27. (Amended) An offspring obtained according to the method of claim 25, wherein said offspring has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

Ay

33. (Amended) A transgenic CICM cell line obtained according to claim 32, wherein said cell line has a genotype identical to a prior-existing differentiated cell except for said genetic alteration, wherein said prior-existing cell was not created by nuclear transfer techniques.

A5

35. (Amended) Differentiated cells obtained by the method of claim 34, wherein said cells have a genotype identical to a prior existing differentiated cell, and wherein said prior existing cell was not created by nuclear transfer techniques, and wherein said prior-existing cell is of a different type.

47. (Amended) [The method according to claim 29, which further comprises] A method of making a chimeric CICM comprising combining the cloned NT unit of claim 29 with a fertilized embryo to produce a chimera.

96

- 48. (Amended) [The method according to claim 47, which further comprises] A method of making a chimeric embryo comprising developing the chimeric CICM cell line of claim 47 to a chimeric embryo.
- 49. (Amended) A chimeric embryo obtained according to claim 48, wherein at least part of said embryo has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

- 50. (Amended) [The method according to claim 48, which further comprises] A method of making a chimeric fetus, comprising developing the chimeric embryo of claim 48 to a chimeric fetus.
- 51. (Amended) A chimeric fetus obtained according to claim 50, wherein at least part of said chimeric fetus has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

46

- 52. (Amended) [The method according to claim 50, which further comprises] A method of making a chimeric offspring comprising developing the chimeric fetus of claim 50 to a chimeric offspring.
- 53. (Amended) A chimeric offspring obtained according to claim 52, wherein at least part of said chimeric offspring has a genotype identical to a prior-existing differentiated cell, fetus or mammal, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.
- 54. (Amended) [The method according to claim 47] A method of producing a genetically altered CICM cell line, wherein a desired DNA is inserted, removed or modified in [said] the differentiated pig cell or cell nucleus of claim 47, thereby resulting in the production of a genetically altered NT unit.

- 55. (Amended) [The method according to claim 54, which further comprises] A method of making a genetically altered embryo comprising developing the [chimeric] genetically altered CICM cell line of claim 54 to a [chimeric] genetically altered embryo.
- 56. (Amended) A [chimeric] genetically altered embryo obtained according to claim 55, wherein said genetically altered embryo has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.
- 57. (Amended) [The method according to claim 55, which further comprises] A method of making a genetically altered fetus comprising developing the [chimeric] genetically altered embryo to a [chimeric] genetically altered fetus.
- 58. (Amended) A [chimeric] genetically altered fetus obtained according to claim 57, wherein said genetically altered fetus has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.
- 59. (Amended) [The method according to claim 57, which further comprises] A method of making a genetically altered offspring comprising developing the [chimeric] genetically altered fetus of claim 57 to a [chimeric] genetically altered offspring.



96

60. (Amended) A [chimeric] genetically altered offspring obtained according to claim 59, wherein said genetically altered offspring has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

9

76. (Amended) A transgenic pig, wherein said pig has a genotype identical to a prior-existing differentiated cell, fetus or mammal except for said genetic alteration, wherein said prior-existing cell, fetus or mammal was not created by nuclear transfer techniques.

a g

78. The method according to claim [45] 46, wherein the pharmaceutically active protein is isolated from milk of the transgenic offspring.

Kindly add the following new claims:

--79. (New) The method of claim 1, wherein said differentiated pig cell is a proliferating cell.

aq

- 80. (New) The method of claim 79, wherein said differentiated proliferating cell has been expanded in culture.
- 81. (New) The method of claim 29, wherein said differentiated pig cell is a proliferating cell.